Federal Communications Commission

July 16, 2004

Ms. Marlene H. Dortch Secretary Federal Communications Commission 445 12th Street, S.W. Room TW-A325 Washington, D.C. 20554

Re: Ex Parte Notice, ET Docket No. 00-258

Dear Ms. Dortch:

On July 14, 2004, members of the DECT FORUM, and UTAM President Mike Stima and Eric DeSilva, Wiley, Rein and Fielding, met with Sheryl Wilkerson, counsel with Commissioner Michael Powell, to discuss consumer benefits of introducing new technologies to the UPCS band at 1.9 GHz and also encouraged the FCC to adopt the DECT FORUM proposed rule changes. DECT FORUM members in attendance included: Barry Rosenblatt, Philips; Steve Berger, TEM Consulting; Rick Krupka and Mark Esherick, Siemens: Tom McKearney and Chad West, Ascom Wireless Solutions, Inc.; Gert Weisel Schmidt, KIRK Telecom, Inc.; and Mark Racek, Ericsson Inc.

Attached is the presentation distributed during the meeting.

If you have any questions, please let me know.

Sincerely,

Mark Esherick

Director of Government Relations

Siemens Corporation

cc: Bruce Franca, OET

Paul Margie, Commissioner Copps

Sam Feder, Commissioner

No. of Capies rec'd List ABCDE

Tel: (202) 434-4800 Fax: (202) 347-4015



on ET Docket 00-258

Optimizing the UPCS Band tor

Real Time Services

Issues & Benefits

July 14, 2004



Outline

- Review of DECT Forum proposals
- Vision for the UPCS Band
- Benefits for consumers
- Achieving FCC Spectral Efficiency Goals
- Summary and Close



Recommendations

- Remove fixed channelization
- Set maximum bandwidth of 2.5 MHz
- Remove the packing rule, section 15.323 (b)
- Extend the isochronous band down to 1915 MHz



A Vision for the UPCS Band

- An unlicensed band optimized for advanced voice and multimedia traffic.
- RF requirements tailored for residential, small business in-building and small area applications.
- IMT-2000 family member for uncoordinated use in unlicensed spectrum.
- Band etiquette provides efficient use of the band and deals effectively with interference.



Deployment Worldwide


Adopted in 112 countries





IMT-2000 3G Deployment Recommendation

IMT-2000
Technology for
Uncoordinated
In-Building
Applications



IMT 2000 Terrestrial Radio Interfaces



IMT-2000 CDMA Direct Spread

IMT-2000 CDMA Multi-Carrier CDMA TDD IMT-2000 TDMA Single Carrier IMT-2000 FDMA/ TDMA

WCDMA (UMTS) CDMA2000 1X and 3X UTRA TDD and TD-SCDMA

UWC-136/ EDGE DECT



The Cordless Phone evolves to a system

